RESTRICTED USE PESTICIDE

Due to Toxicity to Fish, Birds, and Aquatic Organisms

For retail sale to and use only by certified applicators or persons under their direct supervision and only for those uses covered by the certified applicator's certification.

Mesurol® 75-W

Insecticide - Miticide - Molluscicide
For control of certain insects and mollusks on ornamentals

 ACTIVE INGREDIENTS:
 % By Wt.

 Methiocarb: 4-methylthio-3,5-xylylmethylcarbamate
 75.0%

 OTHER INGREDIENTS
 25.0%

 TOTAL
 100.0%

STOP - READ THE LABEL BEFORE USE KEEP OUT OF REACH OF CHILDREN DANGER POISON PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

FIRST AID

N-Methyl Carbamate

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF IN EYES: Wash with flowing water for at least 15 minutes.

NOTE TO PHYSICIAN: ANTIDOTE - Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. This compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

REPEATÉD OR PROLONGED EXPOSURE TO CHOLÍNESTERASE INHIBITÓR'S SUCH ÁS ARE CONTAINED IN THIS PRODUCT MAY CAUSE SUSCEPTIBILITY TO ADVERSE EFFECTS FROM VERY SMALL DOSES OF ANY CHOLINESTERASE INHIBITOR.

FOR MEDICAL EMERGENCIES INVOLVING THIS PRODUCT, CALL TOLL FREE 1-888-478-0798

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER - PELIGRO

Fatal if swallowed. May be fatal if absorbed through skin or inhaled. Do not get in eyes, on skin or on clothing. Do not breathe dust. For handling activities, use dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C). Wear coveralls worn over short-sleeved shirt and short pants, socks and chemical resistant footwear and waterproof gloves. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- Coveralls over short-sleeved shirt and short pants
- Waterproof gloves
- Chemical-resistant footwear plus socks
- Protective eyewear
- · Chemical-resistant headgear for overhead exposure
- Chemical-resistant apron when cleaning equipment, mixing or loading
- · Dust mask when mixing or loading
- For exposures in enclosed areas, a respirator with either an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C) or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G)
- For exposures outdoors, dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C)

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

NET CONTENTS _____ POUNDS

<u>Gowan</u>

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, and very highly toxic to birds, mammals and honey bees exposed to direct treatment or residues on blooming shrubs, flowers, weeds and trees. Do not apply this product or allow it to drift to blooming shrubs, flowers, weeds, or trees if bees are visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

General Precautions and Restrictions: Do not use on crops for food or forage. Use only according to label directions. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water is:

- Coveralls over short-sleeved shirt and short pants
- Waterproof gloves
- · Chemical-resistant footwear plus socks
- · Protective eyewear
- Chemical-resistant headgear for overhead exposure
- Dust mask when mixing or loading
- For exposures in enclosed areas, a respirator with either an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C) or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G)
- For exposures outdoors, dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C)

FOR PEST CONTROL: Mesurol 75-W effectively controls certain specified destructive pests on ornamentals. Use specified quantities of Mesurol 75-W in sufficient water to give complete

coverage of foliage. The type of equipment used will determine the concentration required. Thorough coverage is necessary for maximum control.

The product mixes readily with water to form a suspension usable in all conventional spray equipment. Maintain adequate agitation in the spray tank to keep the wettable powder in suspension. Do not apply with oil.

Schedule applications in accordance with local conditions.

MIXING DIRECTIONS

If this product is packaged in water-soluble bags, please read and observe the following directions for use:

- Packets containing Mesurol 75-W are water-soluble. Avoid exposing inner bags to moisture.
- Do not allow bags to become wet prior to adding to the spray tank.
- Do not handle inner bag with wet hands.
- Reseal outer bag in a manner that protects remaining packets from moisture.
- Turn on spray tank agitation prior to adding water-soluble packets.
- To prepare the spray mixture, drop the required number of unopened packets, as determined under DIRECTIONS FOR APPLICATION, into the spray tank while filling with water to the desired level (whenever possible direct the fill water over the top of the packets to increase the rate of solubility). Where dosages of Mesurol 75-W are expressed as fractions of packets, prepare the tank mix load to the lower of the nearest whole packet.
- Depending on the water temperature and the degree of agitation, the packets should be completely dissolved within approximately three to five minutes from the time they were added to the spray tank.
- Once the packets have completely dissolved, add other chemicals following conventional mixing order practices.
- Tank-mix solutions containing boron will affect the solubility of the water-soluble film. Thoroughly rinse the spray tank of any boron containing spray solution prior to adding any water-soluble packets. When preparing tank mixes containing boron, add the correct amount of Mesurol 75-W to the spray tank first. Make sure that the water-soluble packets are completely dissolved. Add boron preparations to the spray tank last. High concentrations of boron may cause dissolved water soluble bag material to precipitate and form insoluble residue in the spray tank system.

If this product is <u>NOT</u> packaged in water-soluble bags, please read and observe the following directions for use:

- Turn on spray tank agitation. Pour recommended amount of this material on the surface of water in a nearly filled spray tank.
- Add balance of water to fill the tank.
- Keep agitator running during filling and spraying operations.
 Do not allow mixture to stand.

| DIRECTIONS FOR APPLICATION | | | |
|---|--|--------------------|---|
| CROP | PEST | LBS./ 100 GALS. | COMMENTS |
| Ornamental Plants & Nonbearing Trees & Vines Growing in Nurseries and Greenhouses and Mature Ornamental Plantings | Aphids*, Mites*, Western Flower Thrips | 1/2 - 1 | Foliar Application: To control pests on foliage, flowers, and other ground plant parts, spray plants and foliage until thoroughly wet. Do not make more than 2 applications per year per crop. Applications must be at least 10 days apart. |
| | Snails, Slugs | 2 | 7 |

- Use extreme caution when applying in conjunction with foliar fertilizer applications.
- Before treating a large number of ornamental plants with Mesurol 75-W alone or as a tank mixture with any other material, make a test application on a few plants and observe for 7-10 days prior to treating large areas to reduce the possibility of plant injury
- Do not make more than 2 applications per year per crop. Applications must be at least 10 days apart.

^{*}In some cases these pests may have developed resistance. Mesurol 75-W used alone may not provide satisfactory control in these areas. Consult your local Agricultural Advisor or Cooperative Extension Service for recommendations.

Performance may be reduced when the spray solution has a pH greater than 7. The pH of the spray solution must be corrected by the addition of a suitable buffering or acidifying agent for optimum activity.

RESISTANCE MANAGEMENT STATEMENT

Repeated use of pesticides with similar modes of action may lead to a buildup of resistant pest strains. For optimum resistance management, Gowan Company recommends rotating or mixing products from different classes based on mode of action.

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not use container in connection with food, feed, or drinking water. Completely empty container into application equipment. Then dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

STORAGE: Store in a cool dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Handle and open container in a manner as to prevent spillage. If the container is leaking or material spilled for any reason or cause, carefully sweep material into a pile. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Dispose of pesticide as directed above. In spill or leak incidents, keep unauthorized people away.

FOR 24-HOUR EMERGENCY ASSISTANCE (SPILL, LEAK, OR FIRE), CALL CHEMTREC® (800) 424-9300. For other product information, contact Gowan Company or see Material Safety Data Sheet.

NOTICE ON CONDITIONS OF SALE

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

Mesurol® is a registered trademark of Bayer

01-R0502